

BOUCHONS & CAPUCHONS

CAPS & PLUGS

PAGE 1/4



TIROIR LARGE / LARGE DRAWER									
ID	Description								
RACK-DL24C	18X12X3 24 Sections								
BOUCHONS & CAPUCHONS / CAPS & PLUGS									
ID	Visuel Visual	A	B	C	D	E	F	Autre numéro Other number	Qte Qty
H-CAP-00		0.116 in 2.95 mm	0.182 in 4.62 mm	0.053 in 1.35 mm	0.12 in 3.05 mm	0.38 in 9.65 mm	0.31 in 7.87 mm		25
H-CAP-0		0.173 in 4.39 mm	.24 in 6.10 mm	0.111 in 2.82 mm	0.177 in 4.50 mm	0.38 in 9.65 mm	0.38 in 9.65 mm	2	25
H-CAP-1		0.236 in 5.99 mm	0.302 in 7.67 mm	0.174 in 4.42 mm	0.24 in 6.10 mm	0.38 in 9.65 mm	0.44 in 11.18 mm	5	25
H-CAP-1X		0.267 in 6.78 mm	0.335 in 8.51 mm	0.205 in 5.21 mm	0.273 in 6.93 mm	0.38 in 9.65 mm	0.47 in 11.94 mm	6	25
H-CAP-2		0.299 in 7.59 mm	0.365 in 9.27 mm	0.235 in 5.97 mm	0.302 in 7.67 mm	0.38 in 9.65 mm	.500 in 12.70 mm	7	25
H-CAP-10		.75 in 19.05 mm	0.848 in 21.54 mm	.687 in 17.45 mm	0.785 in 19.94 mm	0.56 in 14.22 mm	1.00 in 25.40 mm	27	25
H-CAP-2X		0.33 in 8.38 mm	0.396 in 10.06 mm	0.267 in 6.78 mm	0.333 in 8.46 mm	0.38 in 9.65 mm	0.53 in 13.46 mm	8	25
H-CAP-3		0.361 in 9.17 mm	0.427 in 10.85 mm	0.298 in 7.57 mm	0.365 in 9.27 mm	0.38 in 9.65 mm	0.56 in 14.22 mm	9	25
H-CAP-3X		0.39 in 9.91 mm	0.456 in 11.58 mm	0.327 in 8.31 mm	0.394 in 10.01 mm	0.38 in 9.65 mm	0.59 in 14.99 mm	10	25
H-CAP-4		0.419 in 10.64 mm	0.485 in 12.32 mm	0.356 in 9.04 mm	0.422 in 10.72 mm	0.38 in 9.65 mm	0.63 in 16.00 mm	11	25
H-CAP-4X		0.447 in 11.35 mm	0.513 in 13.03 mm	0.385 in 9.78 mm	0.451 in 11.46 mm	0.38 in 9.65 mm	0.66 in 16.76 mm	12	25
H-CAP-11		0.802 in 20.37 mm	0.911 in 23.14 mm	0.74 in 18.80 mm	0.849 in 21.57 mm	.630 in 16.00 mm	1.06 in 26.93 mm	25	25

BOUCHONS & CAPUCHONS CAPS & PLUGS

PAGE 2/4



BOUCHONS & CAPUCHONS / CAPS & PLUGS									
ID	Visuel Visual	A	B	C	D	E	F	Autre numéro Other number	Qte Qty
H-CAP-5		0.471 in 11.96 mm	0.547 in 13.89 mm	0.409 in 10.39 mm	0.485 in 12.32 mm	0.44 in 11.18 mm	0.69 in 17.53 mm	13	25
H-CAP-5X		0.500 in 12.700 mm	0.576 in 14.63 mm	.44 in 11.18 mm	0.516 in 13.11 mm	0.44 in 11.18 mm	0.72 in 18.29 mm	14	25
H-CAP-6		0.532 in 13.51 mm	0.608 in 15.44 mm	0.468 in 11.89 mm	0.545 in 13.84 mm	0.44 in 11.18 mm	0.750 in 19.05 mm	16	25
H-CAP-6X		.55 in 13.97 mm	0.631 in 16.03 mm	0.487 in 12.37 mm	0.568 in 14.43 mm	0.47 in 11.94 mm	0.750 in 19.05 mm	17	25
H-CAP-7		.580 in 14.73 mm	0.667 in 16.94 mm	0.518 in 13.16 mm	0.605 in 15.37 mm	.500 in 12.70 mm	0.81 in 20.57 mm	18	25
H-CAP-11X		0.815 in 20.70 mm	.93 in 23.62 mm	0.753 in 19.13 mm	0.868 in 22.05 mm	.630 in 16.00 mm	1.09 in 27.69 mm	29	25
H-CAP-7X		0.61 in 15.49 mm	0.695 in 17.65 mm	0.549 in 13.95 mm	0.634 in 16.10 mm	.500 in 12.70 mm	0.84 in 21.34 mm	20	25
H-CAP-8		0.64 in 16.26 mm	0.727 in 18.47 mm	0.578 in 14.68 mm	0.664 in 16.87 mm	.500 in 12.70 mm	0.88 in 22.35 mm	21	25
H-CAP-8X		.675 in 17.15 mm	0.755 in 19.18 mm	0.613 in 15.57 mm	0.693 in 17.60 mm	.500 in 12.70 mm	0.88 in 22.35 mm	22	25
H-CAP-9		.69 in 17.53 mm	0.788 in 20.02 mm	0.628 in 15.95 mm	0.726 in 18.44 mm	0.56 in 14.22 mm	0.94 in 23.88 mm	23	25
H-CAP-9X		0.725 in 18.42 mm	0.823 in 20.91 mm	0.663 in 16.84 mm	0.761 in 19.33 mm	0.56 in 14.22 mm	0.97 in 24.64 mm	26	25
H-CAP-12		0.866 in 22.00 mm	0.975 in 24.77 mm	0.803 in 20.40 mm	0.912 in 23.17 mm	.630 in 16.00 mm	1.13 in 28.70 mm	31	25

BOUCHONS & CAPUCHONS CAPS & PLUGS

PAGE 3/4



BOUCHONS & CAPUCHONS / CAPS & PLUGS									
ID	Visuel Visual	A	B	C	D	E	F	Autre numéro Other number	Qte Qty
H-CAP-5		0.471 in 11.96 mm	0.547 in 13.89 mm	0.409 in 10.39 mm	0.485 in 12.32 mm	0.44 in 11.18 mm	0.69 in 17.53 mm	13	25
H-CAP-5X		0.500 in 12.700 mm	0.576 in 14.63 mm	.44 in 11.18 mm	0.516 in 13.11 mm	0.44 in 11.18 mm	0.72 in 18.29 mm	14	25
H-CAP-6		0.532 in 13.51 mm	0.608 in 15.44 mm	0.468 in 11.89 mm	0.545 in 13.84 mm	0.44 in 11.18 mm	0.750 in 19.05 mm	16	25
H-CAP-6X		.55 in 13.97 mm	0.631 in 16.03 mm	0.487 in 12.37 mm	0.568 in 14.43 mm	0.47 in 11.94 mm	0.750 in 19.05 mm	17	25
H-CAP-7		.580 in 14.73 mm	0.667 in 16.94 mm	0.518 in 13.16 mm	0.605 in 15.37 mm	.500 in 12.70 mm	0.81 in 20.57 mm	18	25
H-CAP-11X		0.815 in 20.70 mm	.93 in 23.62 mm	0.753 in 19.13 mm	0.868 in 22.05 mm	.630 in 16.00 mm	1.09 in 27.69 mm	29	25
H-CAP-7X		0.61 in 15.49 mm	0.695 in 17.65 mm	0.549 in 13.95 mm	0.634 in 16.10 mm	.500 in 12.70 mm	0.84 in 21.34 mm	20	25
H-CAP-8		0.64 in 16.26 mm	0.727 in 18.47 mm	0.578 in 14.68 mm	0.664 in 16.87 mm	.500 in 12.70 mm	0.88 in 22.35 mm	21	25
H-CAP-8X		.675 in 17.15 mm	0.755 in 19.18 mm	0.613 in 15.57 mm	0.693 in 17.60 mm	.500 in 12.70 mm	0.88 in 22.35 mm	22	25
H-CAP-9		.69 in 17.53 mm	0.788 in 20.02 mm	0.628 in 15.95 mm	0.726 in 18.44 mm	0.56 in 14.22 mm	0.94 in 23.88 mm	23	25
H-CAP-9X		0.725 in 18.42 mm	0.823 in 20.91 mm	0.663 in 16.84 mm	0.761 in 19.33 mm	0.56 in 14.22 mm	0.97 in 24.64 mm	26	25
H-CAP-12		0.866 in 22.00 mm	0.975 in 24.77 mm	0.803 in 20.40 mm	0.912 in 23.17 mm	.630 in 16.00 mm	1.13 in 28.70 mm	31	25

BOUCHONS & CAPUCHONS CAPS & PLUGS

PAGE 4/4



BOUCHONS & CAPUCHONS / CAPS & PLUGS									
ID	Visuel Visual	A	B	C	D	E	F	Autre numéro Other number	Qte Qty
H-CAP-5		0.471 in 11.96 mm	0.547 in 13.89 mm	0.409 in 10.39 mm	0.485 in 12.32 mm	0.44 in 11.18 mm	0.69 in 17.53 mm	13	25
H-CAP-5X		0.500 in 12.700 mm	0.576 in 14.63 mm	.44 in 11.18 mm	0.516 in 13.11 mm	0.44 in 11.18 mm	0.72 in 18.29 mm	14	25
H-CAP-6		0.532 in 13.51 mm	0.608 in 15.44 mm	0.468 in 11.89 mm	0.545 in 13.84 mm	0.44 in 11.18 mm	0.750 in 19.05 mm	16	25
H-CAP-6X		.55 in 13.97 mm	0.631 in 16.03 mm	0.487 in 12.37 mm	0.568 in 14.43 mm	0.47 in 11.94 mm	0.750 in 19.05 mm	17	25
H-CAP-7		.580 in 14.73 mm	0.667 in 16.94 mm	0.518 in 13.16 mm	0.605 in 15.37 mm	.500 in 12.70 mm	0.81 in 20.57 mm	18	25
H-CAP-11X		0.815 in 20.70 mm	.93 in 23.62 mm	0.753 in 19.13 mm	0.868 in 22.05 mm	.630 in 16.00 mm	1.09 in 27.69 mm	29	25
H-CAP-7X		0.61 in 15.49 mm	0.695 in 17.65 mm	0.549 in 13.95 mm	0.634 in 16.10 mm	.500 in 12.70 mm	0.84 in 21.34 mm	20	25
H-CAP-8		0.64 in 16.26 mm	0.727 in 18.47 mm	0.578 in 14.68 mm	0.664 in 16.87 mm	.500 in 12.70 mm	0.88 in 22.35 mm	21	25
H-CAP-8X		.675 in 17.15 mm	0.755 in 19.18 mm	0.613 in 15.57 mm	0.693 in 17.60 mm	.500 in 12.70 mm	0.88 in 22.35 mm	22	25
H-CAP-9		.69 in 17.53 mm	0.788 in 20.02 mm	0.628 in 15.95 mm	0.726 in 18.44 mm	0.56 in 14.22 mm	0.94 in 23.88 mm	23	25
H-CAP-9X		0.725 in 18.42 mm	0.823 in 20.91 mm	0.663 in 16.84 mm	0.761 in 19.33 mm	0.56 in 14.22 mm	0.97 in 24.64 mm	26	25
H-CAP-12		0.866 in 22.00 mm	0.975 in 24.77 mm	0.803 in 20.40 mm	0.912 in 23.17 mm	.630 in 16.00 mm	1.13 in 28.70 mm	31	25